


Delock 8 port SATA PCI Express Card

Description

The PCI Express card by Delock expands a PC by eight internal SATA ports. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.



Item no. 90391

EAN: 4043619903917

Country of origin: China

Package: Retail Box

Specification

- Connectors:
8 x SATA 6 Gb/s 7 pin plug
1 x PCI Express x2, V2.0
- Chipset: Marvell 88SE9235, Marvell 88SM9705
- 12 x LED indicator
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Bootable (SATA 1 - 4)


System requirements

- Linux Kernel 4.9.4 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC with one free PCI Express x2 / x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- 4 x SATA cable, length ca. 50 cm
- Driver CD
- User manual

Images



General

| | |
|-----------------------------|---|
| Supported operating system: | Linux Kernel 4.9.4 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |
| LED indicator: | 12 x |

Interface

| | |
|-----------|--|
| Internal: | 1 x PCI Express x1, V2.0 8 x SATA 6 Gb/s 7 pin plug |
|-----------|--|

Technical characteristics

| | |
|----------|--------------------------------------|
| Chipset: | Marvell 88SE9235 Marvell 88SM9705 |
|----------|--------------------------------------|

Physical characteristics

| | |
|---------------|-------------------------|
| Slot bracket: | Low Profile standard |
|---------------|-------------------------|