

# Adapter HSD Z female to HSD Z male

## Description

This adapter by Delock is suitable for connecting components of electronic technology and electronic in vehicles.



**Item no. 90484**

EAN: 4043619904846

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connector:
  - 1 x HSD Z female >
  - 1 x HSD Z male
- HSD Z: RAL 5021 Water blue
- Pin: phosphorus bronze gold plated
- Insulator: LCP
- Impedance: 100 Ohm
- Frequency range: DC - 6 GHz
- Plastic shell: PA66
- Dimensions (LxWxH): ca. 48.0 x 14.0 x 12.0 mm

## System requirements

- Device with one free HSD port

## Package content

- HSD adapter

## Images



## Interface

Connector 1:	1 x HSD Z male
Connector 2:	1 x HSD Z female

## Technical characteristics

Frequency range:	0 - 6 GHz
------------------	-----------

## Physical characteristics

Material dielectric:	PA
Material body:	PA66
Length:	48.0 mm
Width:	12.0 mm
Height:	14.4 mm

## Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de