

# Keystone Module DC 5.5 x 2.5 mm female to DC 5.5 x 2.1 mm male silver / white / black

## Description

This DC female bulkhead by Delock can be installed or cabled in a housing or a device in order to supply it with power.

## Please Note

To ensure the correct function of the connected device, it must match the specifications for voltage, current and polarity of the power supply.



**Item no. 90886**

EAN: 4043619908868

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - external: 1 x DC 5.5 x 2.5 mm female
  - internal: 1 x DC 5.5 x 2.1 mm male
- Gold-plated connectors
- Integrated name plate
- Panel cut-out (WxH): ca. 16.8 x 22.3 mm
- Countersink for conical screws, distance ca. 28.9 mm
- Mounting hole diameter: ca. 3.3 mm
- Screw type: #4-40 UNC
- Material: zinc diecast / plastic
- Colour: silver / white / black
- Dimensions (LxWxH): 42.3 x 19.0 x 35.5 mm

## Package content

- Panel Mount

## Images



### Interface

Connector 1:	1 x DC 5.5 x 2.5 mm female
Connector 2:	1 x DC 5.5 x 2.1 mm male

### Physical characteristics

Material:	zinc diecast / plastic
Length:	42.3 mm
Width:	19.0 mm
Height:	35.5 mm
Colour:	black white silver

### Manufacturer information

Street                      Beeskowdamm 13/15  
 Postal code                14167  
 City                         Berlin  
 Country                    Deutschland  
 E-Mail                      info@delock.de  
 Website                    www.delock.de

