

Delock USB Type-C™ Card Reader for SD Express and CFexpress memory cards

Description

The card reader by Delock can be used for reading and writing of **SD Express** and **CFexpress memory cards**. The card reader can be connected to a PC or a mobile device via the **USB Type-C™** interface.

Simultaneous using of all ports

Two memory cards can be used at the same time.



Specification

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
 - 1 x SD Express slot
 - 1 x CFexpress 2.0 slot type B
- Push to push SD Express socket
- Data transfer rate up to SuperSpeed USB 10 Gbps
- Supports SD 3.0 (UHS-I), SD 4.0 (UHS-II), SD 5.1 (UHS-II V90), SD 7.1
- Supports NVM Express (NVMe)
- Bootable
- 2 x LED indicator for power and access
- It can be used two memory cards at the same time
- Colour: grey
- Plug & Play
- Cable length incl. connector: ca. 15 cm
- Dimensions (LxWxH): ca. 65 x 63 x 16 mm

System requirements

- Android 10.0 or above
- Chrome OS
- Linux Kernel 5.11 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port or
- Device with a free USB4™ port or with a free Thunderbolt™ 4 port

Package content

- Card reader USB Type-C™ to SD Express / CFexpress
- User manual

Item no. 91000

EAN: 4043619910007

Country of origin: China

Package: Retail Box

Images



General	
Function:	Plug & Play
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Android 10.0 or above iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Mac OS 11.2.3 or above Windows 11 Linux Kernel 5.11 or above
LED indicator:	2 x
Slot:	PCIe
Supported memory card:	SDHC SDXC SD UHS-I SD UHS-II SDHC UHS-I SDHC UHS-II SDXC UHS-I SDXC UHS-II CFexpress SD Express
Interface	
Connector 1:	1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
Connector 2:	1 x CFexpress slot
connector 3:	1 x SD Express slot
Technical characteristics	
Data transfer rate:	10 Gbps
Physical characteristics	
Housing material:	Aluminium
Cable length incl. connector:	15 cm
Length:	65 mm
Width:	63 mm
Height:	16 mm
Colour:	grey