


Delock SATA Card Reader for CFast Low Profile Form Factor

Description

This Card Reader can be installed into a PC slot of a PC and will be connected to a free SATA port of the motherboard. The CFast card works as additional memory as well as a hard drive for an operating system which is also bootable.



Item no. 91495

EAN: 4043619914951

Country of origin: Taiwan,
Republic of China

Package: Box

Specification

- Connectors:
 - external:
 - 1 x CFast slot
 - internal:
 - 1 x SATA 7 pin plug
 - 1 x SATA 15 pin plug
- Push to push CFast socket
- Bootable
- Supports CFast type I / II memory cards
- Supports CFast 1.0 and 2.0
- Suitable for standard and low profile form factor
- OS independent, no driver installation necessary

System requirements


- PC with one free slot
- A free SATA port

- SATA connecting cable
 - Power supply with a free SATA power connector
-

Package content

- Card reader SATA to CFast
 - Low profile slot bracket
 - User manual
-

Images



General

Supported operating system:	OS independent, no driver installation necessary
Slot:	Push to push
Supported memory card:	CFast type I / II CFast 1.0 and 2.0

Interface

External:	1 x CFast slot
Internal:	1 x SATA 6 Gb/s 7 pin plug 1 x SATA 15 pin plug

Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------