

Delock USB 3.0 Card Reader for CFast 2.0 memory cards

Description

The card reader by Delock can be used for reading and writing CFast memory cards. The card reader can be connected to a PC or laptop via the USB Type-A interface.



Item no. 91525

EAN: 4043619915255

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB 3.0 Type-A male >
 - 1 x CFast 2.0 slot
- Chipset: Asmedia ASM1153E
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- Supports CFast type I / II memory cards
- Downwards compatible to CFast 1.0
- Housing material: aluminium
- Dimensions without cable (LxWxH): ca. 58.1 x 50.7 x 10.3 mm
- Cable length without connectors: ca. 8 cm
- Colour: anthracite
- Plug & Play


System requirements

- Linux Kernel 2.6 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- Card reader USB 3.0 to CFast

Images



General

Function:	Plug & Play
Specification:	USB 5 Gbps
Supported operating system:	Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Supported memory card:	CFast 1.0 and 2.0 CFast type I / II

Interface

Output:	1 x CFast 2.0 slot
Input:	1 x USB 5 Gbps Type-A male

Technical characteristics

Chipset:	Asmedia ASM1153E
Data transfer rate:	USB 5 Gbps up to 5 Gb/s

Physical characteristics

Housing colour:	anthracite
Housing material:	Aluminium
Cable length:	8 cm
Length:	58.1 mm
Width:	50.7 mm
Height:	10.3 mm