


# Delock 2.5" Card Reader IDE > 2 x Compact Flash Card

## Description

This Card Reader can be installed into a 2.5" bay of a PC and will be connected to a free IDE port of the motherboard. The CF card works as additional memory as well as a hard drive for an operating system which is also bootable.



**Item no. 91662**

EAN: 4043619916627

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:  
2 x CF slot  
1 x IDE 44 pin male
- Data transfer rate up to 133 Mbps
- Power supply via IDE
- Supports DMA and Ultra DMA modes. A compatible flash media card will be required to use these modes.
- Bootable
- Supports Compact Flash type I, type II or Micro Drive memory cards
- Dimensions (LxWxH): ca. 100 x 70 x 9 mm
- OS independent, no driver installation necessary

## System requirements

- PC with one free 2.5" bay
- A free IDE port
- One IDE cable

---

## Package content

- Card reader IDE to CF
- IDE adapter
- User manual

---

## Images



### Interface

Connector 1:	1 x IDE 44 pin male
Connector 2:	1 x CF slot

### Physical characteristics

Length:	100 mm
Width:	70 mm
Height:	9 mm

### Herstellerinformation

---

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de