


Delock 2.5" SATA Card Reader for CFAST memory cards

Description

The card reader by Delock can be used for reading and writing **CFAST memory cards**, which can be used as a 2.5" HDD / SSD. The optional CFAST card works as additional storage space, as well as HDD for an operating system. The card reader can be installed into the system internally through a SATA 22 pin interface.



Item no. 91750

EAN: 4043619917501

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Technical details

- Connectors:
 - 1 x SATA 6 Gb/s 22 pin plug
 - 1 x CFAST slot
- Supports CFAST type I / II memory cards
- 2 x LED indicator for power and activity
- Bootable
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Dimensions (LxWxH): ca. 100 x 70 x 8 mm
- OS independent, no driver installation necessary

System requirements

- A free SATA 22 pin interface

Package content

- Card reader SATA to CFast
- 4 x screw
- User manual

Images



General

Form factor:	2.5"
Function:	bootable
Supported operating system:	OS independent, no driver installation necessary
Supported memory card:	CFast type I / II

Interface

Connector 1:	1 x SATA 6 Gb/s 22 pin plug
Connector 2:	1 x CFast slot

Physical characteristics

Length:	100 mm
Width:	70 mm
Height:	8 mm

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de