

Delock 2.5" SATA Card Reader for CFast memory cards

Description

The card reader by Delock can be used for reading and writing **CFast memory cards**, which can be used as a 2.5" HDD / SSD. The optional CFast card works as additional storage space, as well as HDD for an operating system. The card reader can be installed into the system internally through a SATA 22 pin interface.



Item no. 91753

EAN: 4043619917532

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x SATA 6 Gb/s 22 pin plug
 - 1 x CFast slot
- Supports CFast type I / II memory cards
- 2 x LED indicator for power and activity
- Bootable
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Dimensions (LxWxH): ca. 100 x 70 x 8 mm
- OS independent, no driver installation necessary


System requirements

- A free SATA 22 pin interface

Package content

- Card reader SATA to CFAST
- Screwdriver
- Screws
- User manual

Images



General

| | |
|------------------------|----------------------|
| Form factor: | 2.5" |
| Function: | Hot Swap bootable |
| LED indicator: | 2 x |
| Supported memory card: | CFast type I / II |

Interface

| | |
|--------------|-----------------------------|
| Connector 1: | 1 x SATA 6 Gb/s 22 pin plug |
| Connector 2: | 1 x CFast slot |

Physical characteristics

| | |
|---------|--------|
| Length: | 100 mm |
| Width: | 70 mm |
| Height: | 8 mm |