


Mini PCIe I/O PCIe full size 1 x RJ45 Gigabit LAN

Description

This Mini PCIe module by Delock expands a system by one Gigabit LAN RJ45 interface, which can be lead out via the slot bracket. With the perforation, the length can be shortened from full size to half size.



Item no. 95266

EAN: 4043619952663

Country of origin: China

Package: Box

Technical details

- Connectors:
internal: 1 x Mini PCIe male
external: 1 x Gigabit LAN RJ45 jack with screw-nut
- Chipset: Intel i210
- Form factor: Mini PCIe full size / half size
- Interface: PCI Express revision 2.1
- Data transfer rate:
Ethernet up to 10 Mbps
Fast Ethernet up to 100 Mbps
Gigabit Ethernet up to 1000 Mbps
PCI Express x1 up to 4 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3ab
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports 9k Jumbo Frames
- Supports PXE
- Cable length with connectors: ca. 30 cm

System requirements

- Linux Kernel 2.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Motherboard with a free Mini PCIe slot with a PCIe interface
- PC with one free slot

Package content

- Mini PCIe module
- 2 connecting cable
- Slot bracket
- Low profile bracket
- Driver CD
- User manual

Images



General

Form factor:	Mini PCIe full size Mini PCIe half size
Supported operating system:	Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Connector:	1 x RJ45 jack
------------	---------------

Technical characteristics

Chipset:	Intel® i210
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps

Physical characteristics

Slot bracket:	standard Low Profile
---------------	-------------------------

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

