

# Mini PCIe I/O PCIe full size 1 x SFP Gigabit LAN

## Description

This Mini PCIe module by Delock expands a system by one Gigabit LAN SFP interface, which can be lead out via the slot bracket. With the perforation, the length can be shortened from full size to half size.



**Item no. 95267**

EAN: 4043619952670

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - internal:
    - 1 x Mini PCIe male
  - external:
    - 1 x SFP slot for 1 Gbps SFP module
- Chipset: Intel i210
- Form factor: Mini PCIe full size / half size
- Interface: PCI Express revision 2.1
- Data transfer rate:
  - Ethernet up to 10 Mbps
  - Fast Ethernet up to 100 Mbps
  - Gigabit Ethernet up to 1000 Mbps
  - PCI Express x1 up to 4 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports 9k Jumbo Frames
- Supports PXE
- Operating temperature: 0 °C ~ 55 °C
- Storage temperature: -40 °C ~ 70 °C
- Cable length with connectors: ca. 18 cm

## System requirements

- Linux Kernel 2.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Motherboard with a free Mini PCIe slot with a PCIe interface
- PC with one free slot
- SFP module

---

## Package content

- Mini PCIe module
- 2 connecting cable
- Slot bracket
- Low profile bracket
- User manual

---

## Images



## General

Form factor:	Mini PCIe full size Mini PCIe half size
Supported operating system:	Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Connector:	1 x SFP jack
------------	--------------

## Technical characteristics

Chipset:	Intel® i210
Data transfer rate:	Gigabit Ethernet up to 1 Gbps
Storage temperature:	-40 °C ~ 70 °C
Operating temperature:	0 °C ~ 55 °C

## Physical characteristics

Slot bracket:	standard Low Profile
---------------	-------------------------

## Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

