

Delock USB UHD Webcam with microphone 4K 30 Hz 110° viewpoint and tripod

Description

This 4K webcam by Delock offers high resolution with low power consumption in a compact design. The webcam convinces with a **viewing angle of 110°** and is therefore also ideal for video conferences with several people. It also has an integrated microphone, which has a **range of up to 8 meters**.



In addition to the folding mount on the camera for attachment to a monitor, there is a tripod on which the camera can be screwed. The legs of the tripod are made of metal, which allow you to adjust different heights by sliding them together and apart. The tripod head is made of metal, in which a 1/4" thread is installed.

Plug & Play

Thanks to **USB Plug & Play**, the webcam is ready for immediate use and no driver installation is necessary. The webcam works with Windows and Linux operating systems.



.,.

Item no. 96400

EAN: 4043619964000 Country of origin: China Package: White Box

Specification

- Connector: 1 x USB 2.0 Type-A male
- Built-in microphone
- Metal Housing
- Maximum resolution: 3840 x 2160 @ 30 Hz
- Sensor: Sony IMX415
- 360° rotatable
- · Angle of pitch: left and right, up and down
- Operating voltage: 5 V
- Current consumption: ca. 500 mA
- Operating temperature: -20 °C ~ 70 °C
- Operating humidity: 5 ~ 95 %
- Signal-to-noise ratio (SNR): ca. 41 dB
- Dynamic range: 72 dB
- Automatic white balance (AWB)

DATASHEET



• USB Video Class (UVC) standard: UVC 1.0

Horizontal viewpoint: 110°
Resolution: 8.0 megapixel

• Sensor size: 1/2.8"

• Aperture value: 2.26 mm F1.8 lens

Thread type: 1/4"Frame rates MJPG:

30 fps @ 3840 x 2160, 2592 x 1944, 2048 x 1536, 1920 x 1080, 1600 x 1200, 1280 x 720, 1024 x 768, 1024 x 576, 800 x 600, 640 x 480, 320 x 240

• Frame rates YUY2:

30 fps @ 640 x 480, 320 x 240 18 fps @ 1024 x 576, 800 x 600 12 fps @ 1280 x 720, 1024 x 768 5 fps @ 1920 x 1080

· Colour: black

• Cable length: ca. 1.5 m

• Dimensions (LxWxH): ca. 110 x 57 x 32 mm

System requirements

- Linux Kernel 5.8.0 or above
- Windows 10/10-64/11
- PC or laptop with a free USB Type-A port
- PC with UVC support

Package content

- Webcam
- Tripod
- User manual



Images















Interface

connector:	1 x USB 2.0 Type-A male
COTITICOTOT.	TX GGB 2.0 Type 77 maio

Technical characteristics

Maximum screen resolution: 3840 x 2160 @ 30 Hz

Physical characteristics

Weight:	202 g
Length:	110 mm
Width:	57 mm
Height:	32 mm